

## IN THE CLAIMS

1-25 (canceled)

26. (currently amended) A propellant free buccal spray composition for administration of a pharmacologically active compounds comprising:

an active compound in an amount of between 0.001 and 60 percent by weight of the total composition ~~selected from the group consisting of~~ comprising a biologically active peptides, central nervous system ~~acting~~ active amines, sulfonyl ureas, antibiotics, antifungals, sleep inducers, antiasthmatics, antiemetics, antivirals, histamine H-2 receptor antagonists, barbiturates, prostoglandins, ~~and or~~ or bronchial dilators selected from terbutaline and theophylline; and

a polar solvent in an amount between 30 and 99 percent by weight of the total composition,

wherein said composition is adapted for transmucosal absorption of the active compound through the oral mucosa when administered to a mammal to provide the active compound in the systemic circulatory system of the mammal.

27. (previously added) The composition of claim 26, further comprising a flavoring agent in an amount of between 0.1 and 10 percent by weight of the total composition.

28. (previously added) The composition of claim 27, wherein the polar solvent is present in an amount between 37 and 98 percent by weight of the total composition, the active compound is present in an amount between 0.005 and 55 percent by weight of the total composition, and the flavoring agent is present in an amount between 0.5 and 8 percent by weight of the total composition.

29. (previously added) The composition of claim 28, wherein the polar solvent is present in an amount between 59 and 97 percent by weight of the total composition, the active compound is present in an amount between 0.01 and 40 percent by weight of the total composition, and the flavoring agent is present in an amount between 0.75 and 7.5 percent by weight of the total composition.

30. (currently amended) The composition of claim 26, wherein the polar solvent is ~~selected from the group consisting of~~ comprises a polyethylene glycols having a molecular

weight between 400 and 1000, C<sub>2</sub> to C<sub>8</sub> mono- and poly-alcohols, ~~and or~~ C<sub>7</sub> to C<sub>18</sub> alcohols of linear or branched configuration.

31. (previously added) The composition of claim 26, wherein the polar solvent comprises aqueous polyethylene glycol.

32. (previously added) The composition of claim 26, wherein the polar solvent comprises aqueous ethanol.

33. (currently amended) The composition of claim 26, wherein the active compound ~~is selected from the group consisting of~~ comprises cyclosporin, clozapine, zidevudine, erythromycin, ondansetron, cimetidine, phenytoin, carboprost thromethamine, valerin, ~~and or~~ a pharmaceutically acceptable salts thereof.

34. (currently amended) The composition of claim 27, wherein the flavoring agent ~~is selected from the group consisting of~~ comprises a synthetic or natural oil of peppermint, oil of spearmint, citrus oil, fruit flavors, sweeteners, ~~and or~~ or mixtures thereof.

35. (canceled).

36. (canceled).

37. (previously added) A method of administering a pharmacologically active compound to a mammal comprising spraying the oral mucosa of said mammal with the composition of claim 26.

38. (previously added) The method of claim 37, wherein the amount of the spray is predetermined.

39-52 (canceled)

53. (currently amended) A propellant free buccal spray composition for administration of a pharmacologically active compounds comprising:

an active compound in an amount between 0.005 and 55 percent by weight of the total composition ~~selected from the group consisting of~~ comprising a biologically active peptides, central nervous system ~~acting~~ active amines, sulfonyl ureas, antibiotics, antifungals, sleep inducers, antiasthmatics, antiemetics, antivirals, histamine H-2 receptor antagonists, barbiturates, prostoglandins, ~~and or~~ bronchial dilators selected from terbutaline and theophylline; and

a non-polar solvent in an amount between 30 and 99 percent by weight of the total composition,

wherein said composition is adapted for transmucosal absorption of the active compound through the oral mucosa when administered to a mammal to provide the active compound in the systemic circulatory system of the mammal.

54. (previously added) The composition of claim 53, further comprising a flavoring agent in an amount between 0.1 and 10 percent by weight of the total composition.

55. (previously added) The composition of claim 54, wherein the non-polar solvent is present in an amount between 69 and 99 percent by weight of the total composition, the active compound is clozapine in an amount from between 0.5 and 30 percent by weight of the total composition, and the flavoring agent is present in an amount between 0.1 and 5 percent by weight of the total composition.

56. (currently amended) The composition of claim 53, wherein the active compound ~~is selected from the group consisting of~~ comprises cyclosporine, clozapine, zideovudine, erythromycin, ondansetron, cimetidine, phenytoin, carboprost thromethamine, valerian, ~~and or~~ a pharmaceutically acceptable salts thereof.

57. (currently amended) The composition of claim 54, wherein the flavoring agent is ~~selected from the group consisting of~~ comprises a synthetic or natural oil of peppermint, oil of spearmint, citrus oil, fruit flavors, sweeteners, ~~and or~~ a mixtures thereof.

58. (currently amended) The composition of claim 53, wherein the solvent ~~is selected from the group consisting of~~ comprises a (C<sub>2</sub>-C<sub>24</sub>) fatty acid (C<sub>2</sub>-C<sub>6</sub>) esters, C<sub>7</sub>-C<sub>18</sub>

hydrocarbons of linear or branched configuration, C<sub>2</sub>-C<sub>6</sub> alkanoyl esters, ~~and~~ or triglycerides of a C<sub>2</sub>-C<sub>6</sub> carboxylic acids.

59. (previously amended) The composition of claim 53, wherein the solvent comprises one or more fatty acid esters.

60. (previously added) A method of administering a pharmacologically active compound to a mammal comprising spraying the oral mucosa of said mammal with the composition of claim 53.

61. (previously added) The method of claim 60, wherein the amount of the spray is predetermined.

62-78 (canceled)

79. (currently amended) A buccal spray composition for administration of a pharmacologically active compound comprising:

an active compound in an amount between 0.005 and 55 percent by weight of the total composition ~~selected from the group consisting of~~ comprising an antihistamines, alkaloids, hormones, benzodiazepines, ~~and~~ or narcotic analgesics;

a non-polar solvent in an amount between 30 and 99 percent by weight of the total composition,

wherein said composition is adapted for transmucosal absorption of the active compound through the oral mucosa when administered to a mammal to provide the active compound in the systemic circulatory system of the mammal.